PI 556264. Ribes oxyacanthoides L. GROSSULARIACEAE Gooseberry

Donated by: Devonian Botanical Garden, Edmonton, Alberta, Canada. Received November 07, 1984.

origin: Canada. pedigree: Open pollinated from botanical
collection. local name: Wild Gooseberry, Northern
Gooseberry. Perennial. Cultivated. Seed.

PI 556265. Ribes oxyacanthoides L. GROSSULARIACEAE Gooseberry

Donated by: Moon, K., Lead Hill, Arkansas, United States. Received February 12, 1988.

origin: United States. pedigree: Collected from the wild in Arkansas. local name: Wild Gooseberry, Northern Gooseberry. locality: Lead Hill Arkansas. latitude: 35 deg. N. longitude: 92 deg. 30 min. W. remarks: Very drought-resistant. Perennial. Wild. Cutting.

PI 556266. Ribes oxyacanthoides subsp. irriguum (Douglas) Sinnott GROSSULARIACEAE Gooseberry

Donated by: Chandler, J., USDA/ARS/NCGR-Corvallis, 33447 Peoria Road, Corvallis, Oregon, United States. Received April 07, 1983.

origin: United States. historical origin: United States. origin institute: USDA/ARS/NGR-Corvallis, 33447 Peoria Road, Corvallis, Oregon. pedigree: OP seedling selection from wild Idaho seedlot CRIB 812. Perennial. Breeding Material. Plant.

PI 556267 to 556269. Ribes oxyacanthoides subsp. irriguum (Douglas) Sinnott GROSSULARIACEAE Gooseberry

**Donated by:** Fredricks, N., Oregon State University, Corvallis, Oregon, United States. Received July 13, 1987.

- PI 556267 origin: United States. pedigree: Collected from the wild in Oregon. local name: Wild Gooseberry, Northern Gooseberry. collected: July 1917. locality: Near confluence of Wallowa River and Bear Creek at Wallowa. latitude: 45 deg. 30 min. N. longitude: 117 deg. 35 min. W. Perennial. Wild. Seed.
- PI 556268 origin: United States. pedigree: Collected from the wild in Oregon. local name: Wild Gooseberry, Northern Gooseberry. collected: July 1987. locality: Slope above SE Wallowa Lake, mixed coniferous woodland. latitude: 45. deg. 17 min. N. longitude: 117 deg. 12 min. W. elevation: 1370m. Perennial. Wild. Seed.